

Übungen zur Vorlesung
Einführung in das Programmieren für TM

Serie 3

Aufgabe 3.1. Write a void-function `sort3` which gets three real numbers $x, y, z \in \mathbb{R}$ as input. Furthermore, the numbers should be printed out in descending order. Additionally, write a main program that reads in the numbers x, y, z and calls the function. Save your source code as `sort3.c` into the directory `serie03`.

Aufgabe 3.2. Write a void-function `divisor` which checks if a given number $x \in \mathbb{N} := \{1, 2, 3, \dots\}$ is divisible by 2, 3, or 6. Additionally, write a main program that reads in the number x , then calls the function `divisor`, and prints out the result. Save your source code as `teiler.c` into the directory `serie03`.

Aufgabe 3.3. Write a void-function `triangle`, which, given three edge-lengths $a, b, c \in \mathbb{R}$ with $a, b, c \geq 0$, determines if the resulting triangle is equilateral, scalene, isosceles, one-dimensional degenerate (the sum of two edges equals the third one) or impossible (the sum of two edges is smaller than the third one). Then, write a main program which reads a, b and c from the keyboard and call the function `triangle`. Save your source code as `triangle.c` into the directory `serie03`.

Aufgabe 3.4. Write a void-function `lines`, which characterizes the mutual position of two lines: Given six parameters $a, b, c, d, e, f \in \mathbb{R}$, the equations

$$\begin{aligned}ax + by &= c, \\dx + ey &= f\end{aligned}$$

define two lines in the plane. The function `lines` determines if the lines defined by the six input parameters $a, b, c, d, e, f \in \mathbb{R}$ are *parallel*, *coincident* or *intersecting*. In the third case, the function computes and prints out the coordinates of the intersection point. Then, write a main program which reads the six parameters a, b, c and d, e, f from the keyboard and calls the function `lines`. Save your source code as `lines.c` into the directory `serie03`.

Aufgabe 3.5. Implement the following game. Compute a random number between 0 and 15. You have three tries for guessing the right number. If your first or second guess is wrong, the program should tell you if the number you have entered is larger or smaller than the correct one. If also your third (and last) guess is wrong, then the right number should be printed on the monitor. Random numbers can be created as follows: First include the header files `stdlib.h` and `time.h` into your program. The following code lines

```
srand( (unsigned) time(NULL) );  
int randnumber = rand() % 16;
```

generate a random number between 0 and 15. The variable `randnumber` has the type `int`. Save your source code as `spiel.c` into the directory `serie03`.

Aufgabe 3.6. Write a recursive function `binomial` that computes the binomial coefficient $\binom{n}{k}$ for $k \leq n$. Use the addition formula

$$\binom{n}{k} = \binom{n-1}{k} + \binom{n-1}{k-1} \quad \text{for } 1 \leq k < n$$

with $\binom{n}{0} = 1 = \binom{n}{n}$ for $n \in \mathbb{N}_0$. Write a main program which reads in $k, n \in \mathbb{N}_0$ with $k \leq n$ and computes $\binom{n}{k}$. Save your source code as `binomial.c` into the directory `serie03`.

Aufgabe 3.7. The Fibonacci series is recursively defined by $x_0 := 0$, $x_1 := 1$, and $x_{n+1} := x_n + x_{n-1}$. Write the function `fibonacciRec` which returns x_n for given n . Save your source code as `fibonacci.c` into the directory `serie03`.

Aufgabe 3.8. Recall the meanings of the terms *Lifetime* & *Scope*. What is the output of the following code lines?

```
1  #include <stdio.h>
2
3  int max(int,int);
4
5  main() {
6      int x = 1;
7      int y = 2;
8      int z = 3;
9
10     printf("(x,y,z) = (%d,%d,%d)\n",x,y,z);
11
12     {
13         int x = 100;
14         y = 2;
15         z = max(x,y);
16         printf("(x,y,z) = (%d,%d,%d)\n",x,y,z);
17
18         {
19             int z = y;
20             y = 200;
21
22             printf("(x,y,z) = (%d,%d,%d)\n",x,y,z);
23         }
24         printf("(x,y,z) = (%d,%d,%d)\n",x,y,z);
25     }
26     printf("(x,y,z) = (%d,%d,%d)\n",x,y,z);
27 }
28
29 int max(int x, int y) {
30     if(x>=y) {
31         return x;
32     }
33     else {
34         return y;
35     }
36 }
```

Draw a timeline and visualize the lifetime and the scope of the variables `x,y,z`. Moreover, mark all blocks and functions.